

COMMUNITY PHARMACY V1.1 MANDATORY MEASURES



Note: Mandatory measures are those measures that are a requirement of accreditation and must be reported to URAC on an annual basis.

MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
DM2012-13	Drug-Drug Interactions	Pharmacy Quality Alliance (PQA)	Safe Care	This measure assesses the percentage of patients who received a prescription for a target medication during the measurement period and who were dispensed a concurrent prescription for a precipitant medication. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of patients in the denominator who were dispensed a concurrent precipitant medication during the measurement period.	All program participants age 18 to 75 years with no more than one gap in enrollment of up to 30 days during the measurement period who received a target medication.	Enrollment; Pharmacy Data
MP2012-09	Generic Dispensing Rates	URAC	Health Care Mgmt	This measure assesses the percentage of all prescriptions that were dispensed as generics, branded generics, or brands for which members paid the generic co-pay. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	Total number of prescriptions in the denominator as dispensed as generics.	Total number of prescription claims available in generic form (i.e., multi-source) that were dispensed during the measurement period.	Pharmacy Data

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.

COMMUNITY PHARMACY V1.1 MANDATORY MEASURES



MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
PH2015-01	Primary Medication Non-Adherence	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	The percentage of prescriptions for chronic medications e-prescribed by a prescriber and not obtained by the patient in the following 30 days.	The number of e-prescribing transactions in the denominator where there was no pharmacy dispensing event that matched the patient and the prescribed drug or appropriate alternative during within 30 days following the e-prescribing event.	The number of e-prescriptions for newly initiated drug therapy for Chronic Medications during the measurement period and for the eligible population.	Enrollment; Claims; Electronic Clinical Data; Pharmacy

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.

COMMUNITY PHARMACY V1.1 EXPLORATORY MEASURES

Note: Exploratory measures are measures “on the cutting edge”, meaning that either the industry has not come to consensus on how to measure a particular concept or the measure is experimental or in development. In the case of exploratory measure, the organization has the option to report.

MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
DTM2015-01	Adherence to Non-Warfarin Oral Anticoagulants	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	This measure assesses the percentage of patients 18 years and older who met the Proportion of Days Covered (PDC) threshold of 80% during the measurement period for non-warfarin oral anticoagulants. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of patients who met the PDC threshold during the measurement year.	Patients who filled at least two prescriptions for a non-warfarin oral anticoagulant on two unique dates of service at least 180 days apart during the measurement period AND who received greater than 60 days’ supply of the medication during the measurement period.	Enrollment; Pharmacy Data
DM2012-12	Portion of Days Covered (PDC)	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	Percentage of participants 18 years and older who met the proportion of days covered (PDC) threshold of 80% during the measurement period. A separate rate is calculated for the following medications: Beta-blocker, Renin Angiotensin System Antagonists, Calcium Channel Blocker, Statin, Biguanide, Sulfonylurea, Thiazolidinedione, DiPeptidyl Peptidase-IV Inhibitor, Diabetes All Class, Antiretroviral (this measure has a threshold of 90% for at least 2 medications). Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	Number of patients who met the PDC threshold for a target medication during the measurement year.	Members 18 years and older as of the last day of the measurement year who filled two or more prescriptions for a target medication with at least 150 days between the first fill and the last fill, over a 12- month period.	Enrollment; Pharmacy Data

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.

COMMUNITY PHARMACY V1.1 EXPLORATORY MEASURES



MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
HIM2013-21	Use of High-Risk Medications in the Elderly (HRM)	Pharmacy Quality Alliance (PQA)	Safe Care	This measure assesses the percentage of patients 65 years of age and older who received two or more prescription fills for a high-risk medication during the measurement period. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of patients who received at least two prescription fills for the same high-risk medication during the measurement period.	The total number of patients 66 years or older on the last day of the measurement period with continuous enrollment.	Enrollment; Electronic Clinical Data; Pharmacy
DTM2010-04	Call Center Performance	URAC	Health Care Mgmt	Part A: The percentage of calls during normal business hours to the organization's call service center(s) during the measurement period that were answered by a live voice within 30 seconds. Part B: The percentage of calls made during normal business hours to the organization's call service center(s) during the reporting year that were abandoned by callers before being answered by a live customer service representative.	Part A: The number of calls answered by a live customer service representative within 30 seconds of being placed in the organization's ACD call queue. Part B: The number of calls abandoned by callers after being placed in the ACD call queue and before being answered by a live customer service representative.	Total number of calls received by the organization's call service center during normal business hours during the measurement period.	Automatic Call Distribution (ACD) Data

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.

COMMUNITY PHARMACY V1.1 EXPLORATORY MEASURES



MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
MP2012-08	Turnaround Time for Prescriptions	URAC	Health Care Mgmt	This 3-part measure assesses the average speed with which the organization fills prescriptions, once the prescription is "clean". Part A measures prescription turnaround time for clean prescriptions; Part B measures prescription turnaround time for prescriptions that required intervention; and Part C measures prescription turnaround time for all prescriptions.	Part A, B, C: The sum of business days to fill prescriptions in the denominator ($n_1 + n_2 + \dots + n_x$, where n_1 = the number of business days to fill prescription 1, n_2 = the number of business days to fill prescription 2 . . . n_x = the number of business days to fill prescription x).	Part A: Total number of drugs and products that arrived clean and that the organization filled during the measurement period. Part B: Total number of prescriptions that initially required intervention and that the organization filled during the measurement period. Part C: Total number of prescriptions the organization filled during the measurement period.	Pharmacy Data
PH2015-02	Antipsychotic Use in Children Under 5 Years Old	Pharmacy Quality Alliance (PQA)	Safe Care	The percentage of children under age 5 using antipsychotic medications during the measurement period.	The number of patients with one or more prescription claims for an antipsychotic medication with cumulative days' supply greater than or equal to 30 days.	Members under 5 years old at any time during the measurement period with \geq one month of eligibility during the measurement period.	Enrollment; Pharmacy Data

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.

COMMUNITY PHARMACY V1.1 EXPLORATORY MEASURES



MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
PH2015-03	Use of Benzodiazepine Sedative Hypnotic Medications in the Elderly	Pharmacy Quality Alliance (PQA)	Safe Care	This measure assesses the percentage of individuals 65 years of age and older that received two or more prescription fills for any benzodiazepine sedative hypnotic for a cumulative period of more than 90 days.	Individuals in the denominator who received two prescriptions for any benzodiazepine sedative-hypnotic medication and a cumulative supply of greater than 90 days for any benzodiazepine sedative hypnotic during the measurement year.	The total number of members 66 years or older on the last day of the measurement year and enrolled in the same health plan for greater than (>) 90 days.	Pharmacy Claims Data
PH2015-04	Diabetes Medication Dosing (DOS)	Pharmacy Quality Alliance (PQA)	Prevention & Treatment	The percentage of patients who were dispensed a dose higher than the daily recommended dose for the following therapeutic categories of oral hypoglycemics: biguanides, sulfonylureas, thiazolidinediones, and DPP-IV inhibitors. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of patients who were dispensed a dose of the target medication higher than the daily recommended dose.	Members 18 years or older on the last day of the measurement year and who were dispensed one or more target prescriptions during the measurement year.	Enrollment; Pharmacy Data

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.

COMMUNITY PHARMACY V1.1 EXPLORATORY MEASURES



MEASURE #	MEASURE NAME	MEASURE STEWARD	URAC DOMAIN	MEASURE DESCRIPTION	NUMERATOR	DENOMINATOR	DATA SOURCE
PH2015-06	Statin Use in Persons with Diabetes	Pharmacy Quality Alliance (PQA)	Prevention & Treatment	The percentage of patients, ages 40-75 years, who were dispensed a medication for diabetes that received a statin medication. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of patients in the denominator who received a prescription fill for a statin or statin combination during the measurement year.	Patients age 41 years - 75 years continuously enrolled and dispensed two or more prescription fills for a hypoglycemic agent during the measurement year.	Enrollment; Pharmacy Data
PH2015-05	Consumer Experience with Pharmacy Services*	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	Survey Domains: Pharmacy Staff Communication, Information about Medicine, Written Information, New Prescriptions, and About You.	N/A	N/A	PQA Survey Data

* Please note that PH2015-05, "Consumer Experience with Pharmacy Services", is not in the body of the 2017 Measures Reporting Instructions. Measure details are available in a separate addendum entitled, "Addendum to Pharmacy Quality Management Measure Specifications – Measure PH2015-05", located within the Resources section of AccreditedNet 2.0.

Disclaimer: URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

Copyright © 2018 by URAC. All rights reserved. Permission is hereby granted for reproduction for internal distribution by URAC-accredited companies or applicants. Other reproduction by any means in whole or part without written permission is strictly prohibited.