

Measures At A Glance

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.



#### **Mandatory Measures (10)**

**Note:** Mandatory measures are those measures that are a requirement of accreditation and must be reported to URAC on an annual basis.

Measure #	Measure Name	Measure	URAC	Measure Description	Numerator	Denominator	Data Source
		Steward	Domain				
DM2012-12	Proportion of	Pharmacy	Engagement	The percentage of patients 18	Number of	Patients 18 years and older as	Pharmacy
	Days Covered	Quality	& Experience	years and older who met the	patients who met	of the last day of the	Data;
	(PDC)	Alliance	of Care	proportion of days covered (PDC)	the PDC threshold	measurement year who filled	Enrollment
		(PQA)		threshold of 80% during the	for a target	at least two prescriptions for a	
				measurement period. A	medication during	target medication on two	
				performance rate is calculated	the measurement	unique dates of service during	
				separately for the following	year.	the treatment period.	
				medication categories: Beta-			
				blockers (BB); Renin Angiotensin			
				System Antagonists (RASA);			
				Calcium Channel Blockers (CCB);			
				Diabetes All Class (DR); Statins			
				(STA); Anti-retrovirals (this			
				measure has a threshold of 90%			
				for at least 2 medications - ARV).			
PH2018-01	Adherence to	Pharmacy	Engagement	The percentage of patients with	Number of	Patients 18 years and older	Pharmacy
	Long-Acting	Quality	& Experience	COPD who met the Proportion of	patients who met	with a diagnosis of COPD and	Data;
	Inhaled	Alliance	of Care	Days Covered (PDC) threshold of	the PDC threshold	at least 2 prescription claims	Enrollment
	Bronchodilator	(PQA)		80 percent during the	for a target	for any long-acting inhaled	
	Agents in COPD	,		measurement period for long-	medication during	bronchodilator on unique	
	Patients			acting inhaled bronchodilator	the measurement	dates of service during the	
				agents. A higher rate indicates	year.	treatment period.	
				better performance.	,		

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **2** of **9** 



Measure #	Measure Name	Measure Steward	URAC Domain	Measure Description	Numerator	Denominator	Data Source
PH2018-02	Adherence to Non-Infused Biologic Agents to Treat Rheumatoid Arthritis (RA)	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	The percentage of patients with 18 years and older with rheumatoid arthritis (RA) who met the Proportion of Days Covered (PDC) threshold of 80 percent during the measurement period for biologic medications used to treat RA. A higher rate indicates better performance.	Number of patients who met the PDC threshold for a target medication during the measurement year.	Patients 18 years and older with a rheumatoid arthritis (RA) diagnosis during the measurement year AND two or more prescription claims for non-infused biologic medications used to treat RA on two unique dates of service, for which the sum of the days' supply is 56 days or greater during the treatment period.	Pharmacy Data; Enrollment
PH2018-03	Adherence to Non-Infused Disease- Modifying Agents Used to Treat Multiple Sclerosis (MS)	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	The percentage of patients with 18 years and older who met the Proportion of Days Covered (PDC) threshold of 80 percent during the measurement period for disease-modifying agents used to treat multiple sclerosis (MS). A higher rate indicates better performance.	Number of patients who met the PDC threshold for a target medication during the measurement year.	Patients who filled at least two prescriptions for non-infused disease modifying agents used to treat MS on two unique dates of service in the treatment period AND who received at least 56 cumulative day's supply of the medication during the treatment period.	Pharmacy Data; Enrollment

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **3** of **9** 



Measure #	Measure Name	Measure Steward	URAC Domain	Measure Description	Numerator	Denominator	Data Source
DTM2015-01	Adherence to Non-Warfarin Oral Anticoagulants	Pharmacy Quality Alliance (PQA)	Engagement & Experience of Care	This measure assesses the percentage of patients 18 years and older who met the Proportion of Days Covered (PDC) threshold of 80% during the measurement period for non-warfarin oral anticoagulants. A higher rate indicates better performance.	The number of patients who met the PDC threshold during the measurement year.	Patients who filled at least two prescriptions for a non-warfarin oral anticoagulant on two unique dates of service at least 180 days apart during the treatment period AND who received greater than 60 days' supply of the medication during the treatment period.	Pharmacy Data; Enrollment
DM2012-13	Drug-Drug Interactions	Pharmacy Quality Alliance (PQA)	Safe Care	This measure assesses the percentage of patients who received a prescription for a target medication during the measurement period and who were dispensed a concurrent prescription for a precipitant medication.	The number of patients in the denominator who were dispensed a concurrent precipitant medication during the measurement period.	Patients who received a target medication.	Pharmacy Claims; Enrollment Data

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **4** of **9** 



Measure #	Measure Name	Measure Steward	URAC Domain	Measure Description	Numerator	Denominator	Data Source
DTM2010- 04	Call Center Performance	URAC	Health Care Mgmt	This measure has two parts: Part A evaluates the percentage of calls during normal business hours to the organization's call service center(s) during the measurement period that were answered by a live voice within 30 seconds; Part B evaluates the percentage of calls made during normal business hours to the organization's call service center(s) during the reporting year that were abandoned by callers before being answered by a live customer service representative.	Part A: The number of calls answered by a live customer service representative within 30 seconds of being placed in the organization's ACD call queue.  Part B: The number of calls abandoned by callers after being placed in the ACD call queue and before being answered by a live customer service representative.	Total number of calls received by the organization's call service center during normal business hours during the measurement period.	Automatic Call Distribution (ACD) Data
PH2018-04	Concurrent Use of Opioids & Benzodiazepines	Pharmacy Quality Alliance (PQA)	Patient Safety	The percentage of individuals 18 years and older with concurrent use of prescription opioids and benzodiazepines.	The number of individuals from the denominator with two (2) or more prescription claims for any benzodiazepines on unique dates of service, AND concurrent use of opioids and benzodiazepines for 30 or more cumulative days.	Individuals with 2 or more prescription claims for opioids on unique dates of service, for which the sum of the days' supply is 15 or more days' supply during the measurement year.	Pharmacy Data; Enrollment; RxHCCs

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **5** of **9** 



Measure #	Measure Name	Measure Steward	URAC Domain	Measure Description	Numerator	Denominator	Data Source
PH2018-08	Use of Opioids at High Dosage or from Multiple Providers in Persons Without Cancer	Pharmacy Quality Alliance (PQA)	Patient Safety	Three (3) measures that examine high dosage opioid use from multiple providers, among individuals 18 years and older without cancer.  Measure 1: Use of Opioid at High Dosage in Persons Without Cancer (OHD): The proportion (XX out of 1,000) of individuals from the denominator receiving prescriptions for opioids with a daily dosage greater than 120 morphine milligram equivalents (MME) for 90 consecutive days or longer.  Measure 2: Use of Opioids from Multiple Providers in Persons Without Cancer (OMP): The proportion (XX out of 1,000) of individuals from the denominator receiving prescriptions for opioids from four (4) or more pharmacies.  Measure 3: Use of Opioids at High Dosage and from Multiple Providers in Persons Without Cancer (OHDMP): The proportion (XX out of 1,000) of individuals from the denominator receiving prescriptions for opioids with a daily dosage greater than 120 morphine milligram equivalents (MME) for 90 consecutive days or longer, AND who received opioid prescriptions from four (4) or more prescribers AND four (4) or more prescribers AND four (4) or more prescribers	Measure 1: The number of individuals from the denominator with greater than 120 MME for 90 or more consecutive days.  Measure 2: Any member in the denominator who received opioids from 4 or more prescribers AND 4 or more pharmacies.  Measure 3: Any member in the denominator with greater than 120 MME for 90 days or more consecutive days AND who received opioids from 4 or more prescribers AND 4 or more pharmacies.	Measure 1, 2, & 3: Individuals with 2 or more prescription claims for opioids on unique dates of service, for which the sum of the days' supply is 15 or more days' supply during the measurement year.	Medical Claims; Pharmacy Data; RxHCCs; ICD-10s

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **6** of **9** 



Measure #	Measure Name	Measure Steward	URAC Domain	Measure Description	Numerator	Denominator	Data Source
PH2015-06	Statin Use in Persons with Diabetes	Pharmacy Quality Alliance (PQA)	Preventio n & Treatment	This measure assesses the percentage of patients ages 40-75 years who were dispensed a medication for diabetes that receive a statin medication. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of eligible patients who received one or more prescription fills for a statin during the measurement year.	The number of eligible patients who were dispensed two or more prescription fills for a diabetic medication during the measurement year.	Pharmacy Claims; Enrollment Data

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **7** of **9** 



#### **Exploratory Measures (4)**

**Note:** Exploratory measures are measures "on the cutting edge", meaning that either the industry has not come to consensus on how to measure a particular concept or the measure is experimental or in development. In the case of exploratory measure, the organization has the option to report.

Measure #	Measure Name	Measure Steward	URAC Domain	Measure Description	Numerator	Denominator	Data Source
MP2012-08	Turnaround Time for Prescriptions	URAC	Health Care Mgmt	This 3-part measure assesses the average speed with which the organization fills new and refill prescriptions. Part A measures prescription turnaround time for new and refill clean prescriptions; Part B measures prescription turnaround time for new and refill prescriptions that required intervention; and Part C measures prescription turnaround time for all new and refill prescriptions.	Part A, B, C: The sum of business days to fill new and refill prescriptions in the denominator (n1 + n2 + nx, where n1 = the number of business days to schedule delivery of prescription 1, n2 = the number of business days to schedule delivery of prescription 2 nx = the number of business days to schedule delivery of prescription 2 business days to schedule delivery of prescription x).	Part A: Total number of drugs and products that arrived clean and that the organization filled during the measurement period.	Pharmacy Data
HIM2013-21	Use of High-Risk Medications in the Elderly (HRM)	Pharmacy Quality Alliance (PQA)	Safe Care	This measure assesses the percentage of patients 65 years of age and older who received two or more prescription fills for a high-risk medication during the measurement period. Stratify by Commercial, Medicaid, and Medicare (i.e., report each product line separately).	The number of patients who received at least two prescription fills on different dates of service for the same high-risk medication during the measurement period.	Members 66 years or older on the last day of the measurement year and continuously enrolled during the measurement period.	Pharmacy Claims; Enrollment Data

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.



Measure #	Measure Name	Measure	URAC	Measure Description	Numerator	Denominator	Data Source
		Steward	Domain				
PH2015-03	Use of	Pharmacy	Safe Care	This measure assesses the	Individuals in the	Members 65 years or	Pharmacy
	Benzodiazepine	Quality		percentage of individuals 65	denominator who received	older on the first day of	Claims;
	Sedative	Alliance		years of age and older that	two prescriptions for any	the measurement year.	Enrollment
	Hypnotic	(PQA)		received two or more	benzodiazepine sedative-		Data
	Medications in			prescription fills for any	hypnotic medication and a		
	the Elderly			benzodiazepine sedative	cumulative days supply of		
				hypnotic for a cumulative	greater than 90 days for any		
				period of more than 90 days.	benzodiazepine sedative		
				·	hypnotic during the		
					measurement year.		
PH2015-05	Consumer	Pharmacy	Engagement	Survey Domains: Pharmacy	N/A	N/A	PQA Survey
1112013-03	Experience with	Quality	& Experience	Staff Communication,	N/A	IN/A	Data
	1 '	' '	· ·	′			Data
	Pharmacy	Alliance	of Care	Information about Medicine,			
	Services	(PQA)		Written Information, New			
				Prescriptions, and About You.			
•				·			

**Disclaimer:** URAC reserves the right to update its measures and measure sets to maintain measure relevancy and to remedy any unintended consequences that may arise during implementation. Further, URAC may add and/or align its measures with regulatory requirements of federal, state, and local governments.

**Updated:** 11/01/2018 Page **9** of **9**